

Product Information

Patch panel BKT 19" 1U, modular, shielded, 24xkeystone, black

Card No.: PI_11305113_01.21



Application

BKT patch panels make it easier to manage the network infrastructure and take care of their aesthetics. The 1U crossover panel has been specially designed to maximally pack in the cabinets the toolless BKT RJ45 keystone modules. Thanks to its construction, it finds application in Data Centers and server rooms. Thanks to the use of colorful description fields, they facilitate network management.

Features

- Modular patch panel 19" with a height of 1U for mounting tool and tool free Keystone BKT modules
- Possibility of mounting up to 24 shielded and unshielded Keystone BKT modules
- Replaceable paper labels available in 5 colors
- Integrated cable organizer for holding cables using cable ties
- Metal construction ensuring galvanized connection with module shielding
- Grounding wire
- Black color RAL 9005
- Dimensions (H x W x D) – 43,6mm x 482,6mm x 92,3mm

Standards

- EN 50173-1
- EN 60297-3-100
- ISO/IEC 11801
- IEC 60297-3-100
- ANSI/TIA-568.2
- EIA-310-E
- RoHS 2011/65/EU




Product Information

Patch panel BKT 19" 1U, modular, shielded, 24xkeystone, black


Card No.: PI_11305113_01.21

Special features



The possibility of mounting all BKT RJ45 keystone modules shielded and unshielded



Interchangeable labels available in 5 colors. They facilitate network management



The set contains the grounding wire ended with „eye connector” on both sides




Dimensions

43,6mm x 482,6mm x 92,3mm (1U)



Metal construction ensuring galvanized connection with module shielding



Integrated cable organizer for fixing cable with cable ties

Product Information


Patch panel BKT 19" 1U, modular, shielded, 24xkeystone, black

Card No.: PI_11305113_01.21

Physical and mechanical properties

Support bar	SPCC, 1,5 mm thickness color black RAL9005
Rear Panel	SPCC, 1,5 mm thickness with zinc plated
Front plate	ABS UL 94-HB
Identification	ID plate: PC, UL-94-V0
Ground wire	18 AWG wire green yellow striped color 40cm length

Dimensions



Performance / Variants

Index	Product description
11305113	Patch panel BKT 19" 1U, modular, shielded, 24xkeystone, black

Optional Accessories

Index	Product description
11332330	Adaptor BKT NL for BKT NL 4P/RJ45 modules mounting in keystone standard
10490300	BKT insert - blind cover for BKT patch panel 19", modular, white
10490303	BKT insert - blind cover for BKT patch panel 19", modular, black
10490272	BKT insert - for adaptor SC simplex, LC duplex for BKT patch panel 19", modular, white
10490282	BKT insert - for adaptor ST for BKT patch panel 19", modular, white
10490262	BKT insert - for Connector F, RCA for BKT patch panel 19", modular, white